

# INTRODUCING THE NEW AND IMPROVED ENTICE

ELECTRIC WALL MOUNT



[napoleon.com](http://napoleon.com)

# ENTICE

## ELECTRIC FIREPLACE

NEFL36CFH-1 | NEFL42CFH-1 | NEFL50CFH-1 | NEFL60CFH-1 | NEFL72CFH-1

### MEETING CONSUMER DEMAND

Updated design and technology to fulfill consumer desire for more innovation and realism

### ENHANCED FLAME PATTERN

A new pattern with fuller and higher flames for a more realistic and visually appealing experience

### NEW COLOR COMBINATIONS

Now you can choose from 10 presets for the flame and ember bed simultaneously using the remote plus RGB cycle mode to stop on your favourite shade



### DEEPER APPEARANCE

Rear panel provides reflections of the media and flame creating the illusion of deeper depth

### EASY TO INSTALL

Wall mount or recessed linear electric design for versatile placement in any home

### MORE VALUE

Budget-friendly fireplace solution ideal for both renters and homeowners


### CONTROL AT YOUR FINGERTIPS

More color choices for flames and ember beds than competition with new remote



## FEATURES / OPTIONS / ACCESSORIES

- Up to 5,000 BTU's and 1,465 watts
- Simply plugs into 120V outlet or can be hard wired
- Can be fully recessed, partially recessed or conveniently hung on the wall



10 FLAME AND 10 EMBER BED COLOR OPTIONS WITH CYCLE MODE



FRONT TOUCH SCREEN PANEL



OPTIONAL LOG SETS AVAILABLE: DRIFTWOOD AND BIRCH



CRYSTAL EMBER BED MEDIA INCLUDED













INCLUDED REMOTE CONTROL  
(CONTROLS FLAME INTENSITY, FLAME COLOR OPTION, EMBER BED, BLOWER, HEAT OUTPUT AND TIMER)


# ENHANCED CONTROL CAPABILITIES

Now you can efficiently cycle through the preset ember bed and flame color presets!



-  Turns appliance on/off
-  Turns heater and blower on/off
-  Controls the flame speed
-  Control the brightness of ember bed
-  Cycle through flame colors
-  Set the timer
-  Set the desired temperature
-  Cycle through the ember bed colors
-  Cycle through the ember bed and flame colors
-  Control flame brightness

## CONTROL PANEL



-  Set the desired temperature
-  Turns heater and blower on/off
-  Adjust brightness of blue flame
-  Adjust brightness of orange flame
-  Turns appliance on/off

# ELECTRIC WALL MOUNT COMPARISON

## ELECTRIC FIREPLACES

**GOOD**

**BETTER**

**BEST**



**TRIVISTA PICTURA**



**ENTICE**



**ASTOUND BUILT-IN**

	<b>GOOD</b>	<b>BETTER</b>	<b>BEST</b>
	Trivista Pictura	Entice	Astound Built-In
Size Options	2 sizes 50" and 60"	5 Sizes 36", 42", 50", 60", 72"	4 sizes 50", 62", 74", 96"
Flame Colors	Blue Orange Yellow Multiple Combinations	Dark Orange, Tangerine, Scarlet, Aqua, Electric Blue, Bright Green, Magenta, Violet, Gold, plus Cycle Mode	Yellow, Orange, Combined
Installation Methods	Wall hung	Wall mount Partially recessed Fully recessed	Built-in
Controls	Standard Remote	Standard Remote	Premium Remote (incl.) Napoleon Home App (incl.) Wall Mount Remote (opt.)
Framing Depth	6.5"	6"	6.0625"
Voltage	120V	120V	120V/ 240V
Rating	1500W	1465W	1500W/ 3000W
Heat Output	Up to 5,000 BTUs	Up to 5,000 BTUs	Up to 10,000 BTUs
Front Glass Type	Angled front glass design projects heat into room	Tempered Glass	Tempered Glass
Ember Bed Color	13 colors plus cycle mode	10 colors plus cycle mode	13 colors plus cycle mode with remote Endless options on Napoleon Home app
Ember Bed Brightness Adjustment	Y with fade-in and fade-out effect	Y with fade-in and fade-out effect	Y
Top Light	N	N	13 colors plus cycle mode with remote Endless options on Napoleon Home app
Flame Speed Adjustment	Y	Y	Y
Flame Brightness Adjustment	Y	Y	Y
Media Options	Small and Large Clear Crystals	Glass Crystals	Driftwood Logs & Woodland Media Kit
Optional Accessories	Birch Log/Driftwood	Birch Log/Driftwood	Mineral Rocks, Black Crystals, Glass Beads & Embers
Trim	N	N	Incl.


# Installation Considerations

- Does not require venting making it ideal in spaces where gas or wood is not possible
- Easy to connect and install with less installers required
- Protruding only six inches off the wall when hung, or installed partial or fully recessed

# Specifications

Model	BTU	Width		Height		Depth		Glass
		Actual	Framing	Actual	Framing	Actual	Framing	
NEFL36CFH-1	5,000	35 1/8"	36"	16 15/16"	16"	5 7/16"	4" or 6"*	11 15/16" 32 1/16"
NEFL42CFH-1	5,000	40 7/8"	41 3/4"	16 15/16"	16"	5 7/16"	4" or 6"*	11 15/16" 37 13/16"
NEFL50CFH-1	5,000	48 7/8"	49 11/16"	16 15/16"	16"	5 7/16"	4" or 6"*	11 15/16" 45 13/16"
NEFL60CFH-1	5,000	58 7/8"	59 11/16"	16 15/16"	16"	5 7/16"	4" or 6"*	11 15/16" 55 3/4"
NEFL72CFH-1	5,000	70 7/8"	71 11/16"	16 15/16"	16"	5 7/16"	4" or 6"*	11 15/16" 67 3/4"

Certified under Canadian and American National Standards  
 Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.



	NEFL36CFH-1	NEFL42CFH-1	NEFL50CFH-1	NEFL60CFH-1	NEFL72CFH-1
<b>A</b>	32 1/16" (814mm)	37 13/16" (960mm)	45 13/16" (1163mm)	55 3/4" (1416mm)	67 3/4" (1721mm)
<b>B</b>	36" (914mm)	41 3/4" (1060mm)	49 11/16" (1262mm)	59 11/16" (1516mm)	71 11/16" (1821mm)
<b>C</b>	35 1/8" (892mm)	40 7/8" (1038mm)	48 7/8" (1241mm)	58 7/8" (1495mm)	70 7/8" (1800mm)



Authorized Dealer

24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
 103 Miller Drive, Crittenden, Kentucky, USA 41030  
 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-866-820-8686  
 napoleon.com



Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Group Inc.

Printed in Canada  
 07/2023