



2024 Ventis Hearth Appliance Price Guide



Table of Contents



WOOD STOVES

VENTIS HES140 EPA WOOD STOVE (2020-Certified)	Page	3
VENTIS HES170 EPA WOOD STOVE (2020-Certified)	Page	4
VENTIS HES240 EPA WOOD STOVE (2020-Certified)	Page	5
VENTIS HES350 EPA WOOD STOVE (2020-Certified)	Page	6

WOOD INSERTS

VENTIS HEI90 EPA WOOD INSERT (2020-Certified)	Page	7
VENTIS HEI170 EPA WOOD INSERT (2020-Certified)	Page	8
VENTIS HEI240 EPA WOOD INSERT (2020-Certified)	Page	9
VENTIS HEI350 EPA WOOD INSERT (2020-Certified)	Page	10

WOOD FIREPLACES

VENTIS HE250R EPA ZC WOOD FIREPLACE (2020-Certified)	Page	11
VENTIS HE275CF EPA ZC WOOD FIREPLACE (2020-Certified)	Page	12 & 13
VENTIS HE325 EPA ZC WOOD FIREPLACE (2020-Certified)	Page	14
VENTIS HE350 EPA ZC WOOD FIREPLACE (2020-Certified)	Page	15
VENTIS ME150 WOOD FIREPLACE (EXEMPT)	Page	16
VENTIS ME300 WOOD FIREPLACE (EXEMPT)	Page	17

PELLET STOVE

VENTIS VB00022 PELLETT STOVE	Page	18
------------------------------	------	----

VENTIS HES140 EPA WOOD STOVE (2020-Certified)



Features:

- 1.4 cu. ft. firebox
- Heating capacity 250 to 1,200 sq. ft.
- Optimum efficiency : 78%
- Emissions: 1.8 g/h
- BTU/hr, seasoned cord wood: 45,000
- Maximum log length: 17"
- Flue diameter: 6"
- Metallic black freestanding pedestal model
- Air-wash system
- Fire viewing area: 83 sq. inches
- Mobile home approved
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or c
- Adapter for exterior air intake
- Washington State Approved
- Vermiculite baffle
- Non-catalytic



S - Indicates Stock Item

DESCRIPTION		CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)					
Ventis HES140 wood stove	S	03607823	VB00023	225	\$1,749
OPTIONS					
Blower with variable speed control and thermodisc	S	03608288	AC02023	5	\$250
Rigid fire screen	S	03607825	AC01420	6	\$160
5" fresh air intake kit	S	03603888	AC01336	3.0	\$110
REPLACEMENT PARTS					
Silicon and door gasket replacement kit (8 feet)	S	03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S	03603207	AC06400	0.2	\$15
4" X 9" X 1 1/4" refractory brick		03607537	29015	2.0	\$10
4 1/2" X 9" X 1 1/4" refractory brick		03607536	29010	2.0	\$6
2 1/4" X 9" X 1 1/4" refractory brick		03607832	PL36099	1.2	\$10
Replacement glass		03607833	SE74254	3.8	\$115
Replacement vermiculite baffle		03607834	21622	3.3	\$30

VENTIS HES170 EPA WOOD STOVE (2020-Certified)



Features:

- 1.9 cu. ft. firebox
- Heating capacity 850 to 1,800 sq. ft.
- Optimum efficiency : 78%
- Emissions: 1.26 g/h
- BTU/hr, seasoned cord wood: 65,000
- Maximum log length: 18"
- Flue diameter: 6"
- Metallic black freestanding pedestal model
- Easy-to-access ash drawer
- Air-wash system
- Fire viewing area: 145 sq. inches
- Mobile home approved
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- Vermiculite baffle
- Non-catalytic



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis HES170 wood stove	S 03607603	VB00013	340	\$2,199
OPTIONS				
Blower with variable speed control	S 03607585	AC01000	7.0	\$360
Rigid fire screen	S 03607596	AC01299	6.0	\$180
5" fresh air intake kit	S 03607606	AC01298	3.0	\$90
REPLACEMENT PARTS				
Silicon and door gasket replacement kit (8 feet)	S 03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S 03603207	AC06400	0.2	\$15
4" X 9" X 1 1/4" refractory brick	03607537	29015	2.0	\$10
4 1/2" X 9" X 1 1/4" refractory brick	03607536	29010	2.0	\$6
3.625" X 5.75" X 1 1/4" refractory brick	03607534	PL36274	1.0	\$10
Replacement glass	03607565	SE70789	3.8	\$140
Replacement vermiculite baffle	03607567	21586	3.3	\$50

VENTIS HES240 EPA WOOD STOVE (2020-Certified)



Features:

- 2.4 cu. ft. firebox
- Heating capacity 850 to 2,100 sq. ft.
- Optimum efficiency : 77%
- Emissions: 1.54 g/h
- BTU/hr, seasoned cord wood: 75,000
- Maximum log length: 20"
- Flue diameter: 6"
- Metallic black freestanding pedestal model
- Easy-to-access ash drawer
- Air-wash system
- Fire viewing area: 173 sq. inches
- Mobile home approved
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- Vermiculite baffle
- Non-catalytic



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis HES240 wood stove	S 03607604	VB00016	385	\$2,399
OPTIONS				
Blower with variable speed control	S 03607585	AC01000	7.0	\$360
Rigid fire screen	S 03607597	AC01315	5.0	\$180
5" fresh air intake kit	S 03603888	AC01336	3.0	\$110
REPLACEMENT PARTS				
Silicon and door gasket replacement kit (8 feet)	S 03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S 03603207	AC06400	0.2	\$15
3 1/4" X 9" X 1 1/4" refractory brick	03607532	29007	1.6	\$10
4" X 9" X 1 1/4" refractory brick	03607537	29015	2.0	\$10
4 1/2" X 9" X 1 1/4" refractory brick	03607536	29010	2.0	\$6
Replacement glass	03607566	SE65323	4.0	\$175
Replacement vermiculite baffle	03607568	21388	5.0	\$55

VENTIS HES350 EPA WOOD STOVE (2020-Certified)



Features:

- 3.5 cu. ft. firebox
- Heating capacity 1000 to 2,700 sq. ft.
- Optimum efficiency : 77%
- Emissions: 1.32 g/h
- BTU/hr, seasoned cord wood: 110,000
- Maximum log length: 22"
- Flue diameter: 6"
- Metallic black freestanding pedestal model
- Easy-to-access ash drawer
- Air-wash system
- Fire viewing area: 209 sq. inches
- Mobile home approved
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- Vermiculite baffle
- Non-catalytic



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis HES350 wood stove	S 03607826	VB00020	520	\$3,199
OPTIONS				
Blower with variable speed control	S 03607585	AC01000	7.0	\$360
Rigid fire screen	S 03607827	AC01281	12	\$180
5" fresh air intake kit	S 03603888	AC01336	3.0	\$110
REPLACEMENT PARTS				
Silicon and door gasket replacement kit (8 feet)	S 03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S 03603207	AC06400	0.2	\$15
2" X 9" X 1 1/4" refractory brick	03607835	PL36759	1.0	\$10
4" X 9" X 1 1/4" refractory brick	03607537	29015	2.0	\$10
4 1/2" X 9" X 1 1/4" refractory brick	03607536	29010	2.0	\$6
3 1/4" X 4 1/2" X 1 1/4" refractory brick	03607836	PL36760	1.0	\$10
Replacement glass	03607837	SE70978	4.0	\$170
Replacement vermiculite baffle	03607838	21585	5.0	\$45

VENTIS HEI90 EPA WOOD INSERT (2020-Certified)



Features:

- 1.1 cu. ft. firebox
- Heating capacity 250 to 1,200 sq. ft.
- Optimum efficiency : 82%
- Emissions: 1.5 g/h
- BTU/hr, seasoned cord wood: 45,000
- Maximum log length: 17"
- Flue diameter: 6"
- Minimum fireplace opening: 19" H x 25" W x 15 1/2" D
- Air-wash system
- 90 CFM blower with right/left powercord
- Certified according to applicable standards CAN/USA accredited laboratory
- Tapered top and sides for easy installation in smaller fireplaces
- Washington State Approved
- Non-catalytic combustion technology



S - Indicates Stock Item

DESCRIPTION		CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)					
Ventis HEI90 wood insert with blower	S	03613476	VB00024	287	\$2,499
#REF!					
Regular faceplate (26" x 42")	S	03613477	VBA1545	10	\$200
OPTIONS					
Offset liner adapter	S	03606719	AC01370	6	\$250
Hook-up liner adapter	S	03607589	AC02006	3	\$110
5"Ø fresh air intake kit	S	03603888	AC01336		\$110
Ridgid Screen			AC01213		\$180

VENTIS HEI170 EPA WOOD INSERT (2020-Certified)



Features:

- 1.9 cu. ft. firebox
- Heating capacity 850 to 1,800 sq. ft.
- Optimum efficiency : 78%
- Emissions: 1.26 g/h
- BTU/hr, seasoned cord wood: 65,000
- Maximum log length: 18"
- Flue diameter: 6"
- Minimum fireplace opening: 22-1/2"H x 27-1/2"W x 12-7/8"D
- Air-wash system
- Fire viewing area: 145 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- Vermiculite baffle
- Non-catalytic



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis HEI170 wood insert with blower	S 03607602	VB00014	361	\$2,499
MANDATORY ADD-ONS (MUST CHOSE ONE FACEPLATE)				
Regular faceplate (29" x 44")	S 03607593	VBA1555	11	\$200
Large faceplate (34" x 50")	S 03607591	VBA1556	15	\$250
OPTIONS				
Offset liner adapter	S 03606719	AC01370	6	\$250
Hook-up liner adapter	S 03607589	AC02006	3	\$110
5" fresh air intake kit	S 03607606	AC01298	2	\$90
Rigid fire screen	S 03607596	AC01299	6	\$180
REPLACEMENT PARTS				
Silicon and door gasket replacement kit (8 feet)	S 03603208	AC06500	1	\$25
Glass gasket replacement kit (6 feet)	S 03603207	AC06400	0	\$15
4" X 9" X 1 1/4" refractory brick	03607537	29015	2	\$10
4 1/2" X 9" X 1 1/4" refractory brick	03607536	29010	2	\$6
3 5/8" X 9" X 1 1/4" refractory brick	03607533	PL36031	3	\$15
Replacement glass	03607565	SE70789	4	\$140
Replacement vermiculite baffle	03607567	21586	3	\$50

VENTIS HEI240 EPA WOOD INSERT (2020-Certified)



Features:

- 2.4 cu. ft. firebox
- Heating capacity 850 to 2,100 sq. ft.
- Optimum efficiency : 77%
- Emissions: 1.54 g/h
- BTU/hr, seasoned cord wood: 75,000
- Maximum log length: 20"
- Flue diameter: 6"
- Minimum fireplace opening: 23-3/8"H x 28-7/8"W x 15-3/4"D
- Air-wash system
- Fire viewing area: 173 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- Vermiculite baffle
- Non-catalytic



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis HEI240 wood insert with blower	S 03606718	VB00012	407	\$2,749
MANDATORY ADD-ONS (MUST CHOSE ONE FACEPLATE)				
Regular faceplate (29" x 44")	S 03607594	VBA1550	10	\$200
Large faceplate (34" x 50")	S 03607592	VBA1551	15	\$250
OPTIONS				
5" fresh air intake kit	S 03607606	AC01298	2	\$90
Rigid fire screen	S 03607597	AC01315	5	\$180
Offset liner adapter	S 03606719	AC01370	6	\$250
Hook-up liner adapter	S 03607589	AC02006	3	\$110
REPLACEMENT PARTS				
Silicon and door gasket replacement kit (8 feet)	S 03603208	AC06500	1	\$25
Glass gasket replacement kit (6 feet)	S 03603207	AC06400	0	\$15
3 1/4" X 9" X 1 1/4" refractory brick	03607532	29007	2	\$10
4" X 9" X 1 1/4" refractory brick	03607537	29015	2	\$10
4 1/2" X 9" X 1 1/4" refractory brick	03607536	29010	2	\$6
4 1/2" X 3 3/4" X 1 1/4" refractory brick	03607535	PL36236	2	\$10
Replacement glass	03607566	SE65323	4	\$175
Replacement vermiculite baffle	03607568	21388	5	\$55

VENTIS HEI350 EPA WOOD INSERT (2020-Certified)



Features:

- 3.5 cu. ft. firebox
- Heating capacity 1000 to 2,700 sq. ft.
- Optimum efficiency : 77%
- Emissions: 1.32 g/h
- BTU/hr, seasoned cord wood: 110,000
- Maximum log length: 22"
- Flue diameter: 6"
- Minimum fireplace opening: 26-1/4"H x 31"W x 18-3/8"D
- Air-wash system
- Fire viewing area: 209 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- Vermiculite baffle
- Non-catalytic



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis HEI350 wood insert with blower	S 03607828	VB00021	562	\$3,479
MANDATORY ADD-ONS (MUST CHOSE ONE FACEPLATE)				
Regular faceplate (32" X 44")	S 03607829	VBA1557	12	\$220
Large faceplate (32" X 50")	S 03607830	VBA1558	16	\$250
OPTIONS				
5" fresh air intake kit	S 03607606	AC01298	3	\$90
Rigid firescreen	S 03607827	AC01281	12	\$180
Offset liner adapter	S 03606719	AC01370	6	\$250
Hook-up liner adapter	S 03607589	AC02006	3	\$110
REPLACEMENT PARTS				
Silicon and door gasket replacement kit (8 feet)	S 03603208	AC06500	1	\$25
Glass gasket replacement kit (6 feet)	S 03603207	AC06400		\$15
2" X 9" X 1 1/4" refractory brick	03607835	PL36759	1	\$10
4" X 9" X 1 1/4" refractory brick	03607537	29015	2	\$10
4 1/2" X 9" X 1 1/4" refractory brick	03607536	29010	2	\$6
Replacement glass	03607837	SE70978	4	\$170
Replacement vermiculite baffle	03607838	21585	5	\$45

VENTIS HE250R EPA ZC WOOD FIREPLACE (2020-Certified)



Features:

- 2.5 cu. ft. firebox
- Heating capacity 850 to 2,200 sq. ft.
- Optimum efficiency : 74%
- Emissions: 1.14 g/h
- BTU/hr, seasoned cord wood: 80,000
- Maximum log length: 20"
- Flue diameter: 6"
- Fire viewing area: 258 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- C-Cast baffle
- Non-catalytic
- Approved on 1" solid-pack pipe: Ventis, Dura-Vent



S - Indicates Stock Item

DESCRIPTION		CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)					
Ventis HE250R ZC wood fireplace with blower	S	03607605	VB00015	495	\$3,999
MANDATORY ADD-ONS (MUST ADD A FACEPLATE)					
Modern style faceplate	S	03606714	VBA1560	60.0	\$700
OPTIONS					
Heatshield for surround/shelf	S	03607588	AC01223	10.0	\$120
Fire Screen	S	03607581	AC01275	12.6	\$300
4" fresh air intake adapter	S	03607607	AC01347	3.0	\$200
Hot air gravity kit - traditional	S	03607550	AC01375	12.0	\$400
Hot air gravity kit - moderne style		03607549	AC01389K	39.0	\$600
Fireplace carrying handle kit	S	03607587	AC09200	6.0	\$90
Forced air kit		03607546	AC01374	12.2	\$960
25' insulated flex pipe (6" dia.)	S	03602578	AC01350	9.4	\$200
REPLACEMENT PARTS					
Silicon and door gasket replacement kit (8 feet)	S	03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S	03603207	AC06400	0.2	\$15
Replacement glass		03607564	SE72341	5.0	\$295
Replacement C-Cast baffle		03607562	21578	6.0	\$195
Left refractory		03607553	22152	24.0	\$125
Right refractory		03607571	22151	24.0	\$120
Back refractory		03607538	22150	20.0	\$115
Bottom refractory		03607543	22141	21.0	\$125

VENTIS HE275CF EPA ZC WOOD FIREPLACE (2020-Certified)



Features:

- 2.5 cu. ft. firebox
- Heating capacity 850 to 2,200 sq. ft.
- Optimum efficiency : 74%
- Emissions: 1.14 g/h
- BTU/hr, seasoned cord wood: 80,000
- Maximum log length: 20"
- Flue diameter: 6"
- Fire viewing area: 258 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/UCLC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- C-Cast baffle
- Non-catalytic
- Approved on 1" solid-pack pipe: Ventis, Dura-Vent




S - Indicates Stock Item

DESCRIPTION		CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)					
Ventis HE275CF ZC wood fireplace	S	03607600	VB00017	500	\$3,899
MANDATORY ADD-ONS (MUST CHOSE ONE GRAVITY KIT)					
Hot air gravity kit - modern style with adjustable pipes	S	03607590	AC01389	39.0	\$600
Hot air gravity kit - traditional	S	03607550	AC01375	12.0	\$400
OTHER OPTIONS					
Chase reduction kit	S	03607586	AC01224	12.0	\$300
Fire Screen Door	S	03607581	AC01275	12.6	\$300
4" fresh air intake adapter	S	03607607	AC01347	3.0	\$200
Fireplace carrying handle kit		03607587	AC09200	6.0	\$90
Forced air kit		03607584	AC01363	11.0	\$750
25' insulated flex pipe (6" dia.)	S	03602578	AC01350	9.4	\$200
REPLACEMENT PARTS					
Silicon and door gasket replacement kit (8 feet)	S	03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S	03603207	AC06400	0.2	\$15
Replacement glass		03607564	SE72341	5.0	\$295
Replacement C-Cast baffle		03607562	21578	6.0	\$195
Left refractory		03607553	22152	24.0	\$125
Right refractory		03607571	22151	24.0	\$120
Back refractory		03607538	22150	20.0	\$115
Bottom refractory		03607543	22141	21.0	\$125


Continued

Important: You must choose a hot gravity kit for the installation of the HE275CF

Please refer to the installation manual for full details




Front outlets



Side outlets

Traditional style



Modern style



Combustibles materials allowed in this zone



Non combustible material only in this zone

VENTIS HE325 EPA ZC WOOD FIREPLACE (2020-Certified)



Features:

- Retractable doors
- 2.9 cu. ft. firebox
- Heating capacity 850 to 2,200 sq. ft.
- Optimum efficiency : 72%
- Emissions: 0.99 g/h
- BTU/hr, seasoned cord wood: 80,000
- Maximum log length: 16"
- Flue diameter: 6"
- Fire viewing area: 208 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Adapter for exterior air intake
- Washington State Approved
- C-Cast baffle
- Non-catalytic
- Approved on 1" solid-pack pipe: Ventis, Dura-Vent



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis HE325 ZC wood fireplace with blower	S 03607601	VB00018	450	\$4,499
MANDATORY ADD-ONS (MUST ADD A FACEPLATE)				
Traditional style faceplate	S 03607599	VBA1570	70.0	\$800
OPTIONS				
4" fresh air intake adapter	S 03607607	AC01347	3.0	\$200
Hot air gravity kit - traditional	S 03607550	AC01375	12.0	\$400
Rigid fire screen	03607595	AC01379	5.3	\$250
Fireplace carrying handle kit	03607587	AC09200	6.0	\$90
Forced air kit	S 03602582	VA4460	14.5	\$750
25' insulated flex pipe (6" dia.)	S 03602578	AC01350	9.4	\$200
REPLACEMENT PARTS				
Silicon and door gasket replacement kit (8 feet)	S 03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S 03603207	AC06400	0.2	\$15
Round rope 1/4" with adhesive	03607582	40030	0.1	\$5
Right replacement glass with gasket 10 5/16" X 12 7/16"	03607576	SE70001	2.5	\$115
Left replacement glass with gasket 10 5/16" X 12 7/16"	03607558	SE70464	2.5	\$115
Rigid ceramic baffle kit	03607580	SE36511	4.0	\$195
Left refractory	03607554	22355	25.0	\$150
Right refractory	03607572	22356	25.0	\$150
Back refractory	03607539	22357	22.0	\$150
Left bottom refractory	03607551	22353	15.0	\$95
Right bottom refractory	03607569	22354	15.0	\$95

VENTIS HE350 EPA ZC WOOD FIREPLACE (2020-Certified)



Features:

- 4.3 cu. ft. firebox
- Heating capacity 850 to 2,800 sq. ft.
- Optimum efficiency : 69.7%
- Emissions: 1.6 g/h
- BTU/hr, seasoned cord wood: 95,000
- Maximum log length: 25"
- Flue diameter: 8"
- Fire viewing area: 403 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Non-catalytic
- Approved on 1" solid-pack pipe: Ventis, Dura-Vent



S - Indicates Stock Item

DESCRIPTION		CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)					
Ventis HE350 ZC wood fireplace with blower	S	03607066	VB00005	555	\$4,999
MANDATORY ADD-ONS (MUST ADD A FACEPLATE AND A REFRACTORY KIT)					
Traditional faceplate	S	03607072	VBA1540	49.0	\$850
Refractory brick kit	S	03576227	AC02360	132.0	\$650
OPTIONS					
5" fresh air intake register with airtight damper	S	03607616	AC01349	3.0	\$955
Warm air circulation grille - modern style		03606712	AC01378	18.0	\$350
Fireplace carrying handle kit		03607587	AC09200	6.0	\$90
Forced air kit	S	03602582	VA4460	14.5	\$750
Hot air gravity kit - traditional	S	03607550	AC01375	12.0	\$400
25' insulated flex pipe (6" dia.)	S	03602578	AC01350	9.4	\$200
REPLACEMENT PARTS					
Silicon and door gasket replacement kit (8 feet)	S	03603208	AC06500	1.0	\$25
Glass gasket replacement kit (6 feet)	S	03603207	AC06400	0.2	\$15
Round rope 1/4" with adhesive		03607582	40030	0.1	\$5
Left replacement glass		03607559	SE23062	4.8	\$295
Right replacement glass		03607577	SE23063	4.8	\$295
Replacement C-Cast baffle		03607563	21265	3.0	\$180
Left refractory		03607555	22028	28.0	\$145
Right refractory		03607573	22029	25.0	\$145
Back refractory		03607540	22027	30.0	\$175
Left bottom refractory		03607552	22025	19.0	\$140
Right bottom refractory		03607570	22026	19.0	\$140


VENTIS ME300 WOOD FIREPLACE (EXEMPT)



While Supplies Last

Features:

- 4.25 cu. ft. firebox
- Heating capacity: < 1,500 sq. ft.
- Maximum log length: 20"
- Flue diameter: 8"
- Air-wash system
- Fire viewing area: 444 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Washington state approved (emissions of 2.9 g/kg)
- Approved on 1" solid-pack pipe: Ventis, Dura-Vent



S - Indicates Stock Item

DESCRIPTION		CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)					
Ventis ME300 ZC wood fireplace with blower	S	03602586	VB00001	511	\$3,899
MANDATORY ADD-ONS (MUST ADD A FACEPLATE)					
Rustic style faceplate	S	03607067	VBA1520	46.4	\$700
MODEL - OTHER OPTIONS					
Forced air kit		02499467	AC01340	12.0	\$955
4" fresh air intake adapter	S	03607607	AC01347	3.0	\$200
Hot air gravity kit - modern style	S	03607550	AC01375	12.0	\$400
Hot air gravity kit - traditional		03607608	AC01376	26.2	\$350
25' insulated flex pipe (6" dia.)	S	03602578	AC01350	9.4	\$200
REPLACEMENT PARTS					
Glass gasket replacement kit (6 feet)	S	03603207	AC06400	0.2	\$15
Silicon and door gasket replacement kit (8 feet)	S	03603208	AC06500	1.0	\$25
Left replacement glass		03607561	SE59881	4.3	\$375
Right replacement glass		03607579	SE59882	4.3	\$375
Left refractory		03607556	22166	26.0	\$160
Right refractory		03607574	22167	25.0	\$160
Back refractory		03607541	22165	33.0	\$155
Bottom refractory		03607544	22160	22.0	\$125
Front refractory		03607547	22161	16.0	\$95

VENTIS ME150 WOOD FIREPLACE (EXEMPT)



Features:

- 3.0 cu. ft. firebox
- Heating capacity: < 1,000 sq. ft.
- Maximum log length: 16"
- Flue diameter: 7"
- Air-wash system
- Fire viewing area: 272 sq. inches
- Tested by Intertek as per applicable standards (CSA/UL/ULC and/or others)
- Approved on 1" solid-pack pipe: Ventis, Dura-Vent



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis ME150 ZC wood fireplace	03607583	VB00004	444	\$3,499
OPTIONS				
4" fresh air intake adapter	S 03607607	AC01347	3.0	\$200
Thermally-activated blower with variable speed control	03607598	VA4400	6.0	\$350
REPLACEMENT PARTS				
Left replacement glass	03607560	SE60099	4.3	\$225
Right replacement glass	03607578	SE60100	4.3	\$225
Left refractory	03607557	VA2071-2	30.0	\$115
Right refractory	03607575	VA2071-3	30.6	\$115
Back refractory	03607542	VA2071-1	32.0	\$135
Bottom refractory	03607545	VA2071-4	23.0	\$100
Front refractory	03607548	VA2071-5	15.0	\$100

VENTIS VB00022 PELLETT STOVE



Features:

- Hopper capacity of 80 lb.
- Top-feed burner
- EPA certified 2020
- Proudly made in Canada
- Limited lifetime warranty
- Certified for mobile home and alcove installation
- Maximum Burn Time 69 hours
- Maximum Output 28,540 BTU/h
- Optimum efficiency 78.4%
- Premium blower - 176 CFM included
- Flue Size 3 inches
- Ash drawer included
- Recommended heating area 500 - 2,000 ft²



S - Indicates Stock Item

DESCRIPTION	CCS #	SUPPLIER	WT	MSRP
REQUIRED (MAIN BODY)				
Ventis VB00022 Pellet Stove	S 03613478	VB00022	511	\$3,979
MODEL - OTHER OPTIONS				
3"Ø X 5' Fresh Air Intake Kit	S 02499467	AC01240	12.0	\$699
3"Ø X 10' Insulated Flex Pipe for Air Intake Kit	S 03607607	AC02092	3.0	\$200
Digital Wall Thermostat	S 03607550	AC05558	12.0	\$400



**COPPERFIELD
CHIMNEY SUPPLY, LLC**

**Customer Support
800-247-3305 or 800-569-1425**

**Technical Support
800-256-1926 or 844-814-3002**

www.copperfield.com